名古屋大学 集中講義「アクティブマターの物理学」 参考文献リスト

竹内一将 * 東京大学 理学系研究科 物理学専攻 (Dated: July 5, 2022)

第0章

アクティブマターとは何か・講義について

スライド4: [1, 2] スライド5: [3, 4] スライド6: [5, 6] スライド7: [7, 8] スライド10: [9–36]

第1章 アクティブマターとは何か(続)

スライド 14: [3, 37] スライド 16-17: [3, 5, 8, 38-40]

第2章 自己駆動粒子

スライド 22-24: [9, 12] スライド 25: [19, 20, 41] スライド28: [19, 20, 41-43] スライド 29: [19, 20, 43-45] スライド 30: [26, 46, 47] スライド 31: [12, 14, 48-51] スライド 32-33: [9, 33] スライド 34: [52] スライド 35: [53-55] スライド 36: [1, 56] スライド 37: [57-59] スライド 39: [56] スライド 41: [15] スライド 42: [15, 60] スライド 43: [24, 60] スライド 44: [24, 61] スライド 46-47: [15] スライド 48: [16] スライド 49-50: [15, 24, 62, 63] スライド 51: [60] スライド 52: [16, 64] スライド 53: [64-66] スライド 54: [67-70] スライド 55: [9-11, 71-76] スライド 56: [3, 77] スライド 57: [76, 78, 79] スライド 58: [3]

* mail:kat@kaztake.org

スライド 59: [3, 80-82] スライド 60: [77] スライド 61: [4, 83, 84] スライド 62-63: [4] スライド 64: [4, 63, 85]

第3章 集団運動の相転移

スライド 66-71: [19, 20] スライド 72: [19, 20, 86, 87] スライド 73: [19, 20] スライド 74: [19, 20, 41, 88, 89] スライド 75: [90-93] スライド 76-78: [94-97] スライド 79-80: [19, 94, 95, 97] スライド 85-87: [98, 99] スライド 88: [88, 89, 98-100] スライド 89: [100] スライド 90: [14, 19, 43, 44, 101–105] スライド 91: [4] スライド 92: [77, 106, 107] スライド 93: [2, 108-110] スライド 94: [40, 108] スライド 95: [40, 111]

第4章 アクティブ流体

スライド3: [4, 19, 20, 41, 77, 90-93] スライド 4-7: [90-93] スライド8: [112] スライド9: [101, 112] スライド 10: [19, 113] スライド 12: [90-93, 113] スライド 13-14: [91-93, 114] スライド 15: [115] スライド 16: [77, 115] スライド 17: [19, 40, 43, 44, 101] スライド 18: [45] スライド 19: [2, 110] スライド 20: [33, 116, 117] スライド 21: [118-121] スライド 22: [2, 27, 118, 122, 123] スライド 23-24: [124]

第5章 運動誘起相分離

スライド 29: [26, 46, 47]

スライド 30: [9, 26, 125] スライド 31: [26, 125] スライド 32: [26, 125, 126] スライド 33–35: [26, 125] スライド 36: [26, 125, 127–129] スライド 37: [129–131] スライド 38: [132–134] スライド 39: [135–137] スライド 40: [138] スライド 41–42: [139]

第6章 アクティブ液晶

- スライド 44: [7, 8, 140] スライド 45-46: [141-144] スライド 47-48: [141-143, 145] スライド 49: [141-143, 145, 146] スライド 50: [141-143, 145, 147-150] スライド 51: [141-143, 145] スライド 52: [141-143] スライド 53: [151, 152] スライド 54: [153] スライド 55: [153, 154] スライド 56: [155] スライド 57: [156] スライド 58: [8, 156] スライド 59: [156, 157] スライド 60: [7, 8, 140, 158-160] スライド 61: [87, 161] スライド 62: [7] スライド 63: [7, 140, 157] スライド 64: [7] スライド 65: [140, 162] スライド 66: [158, 163, 164] スライド 67: [165-170] スライド 68: [154]
- 談話会

アクティブマターのガラス転移とバクテリア実験

スライド 3: [77, 171] スライド 4–10: [172–180] スライド 11: [172–181] スライド 12: [180, 182, 183] スライド 13: [184] スライド 13: [184] スライド 14: [185–187] スライド 15: [188–190] スライド 16: [191] スライド 16: [191] スライド 17: [192, 193] スライド 18: [192, 194] スライド 19: [194] スライド 20: [195] スライド 21: [29, 30, 186–188, 190, 193, 196, 197] スライド 22: [1, 171, 198, 199] スライド 23: [171, 200] スライド 24: [171] スライド 25: [201] スライド 25: [202, 203] スライド 30: [204-207] スライド 34: [174, 203] スライド 35: [201] スライド 36: [204-209] スライド 37: [172, 175, 193, 196] スライド 38: [171, 201]

- [1] L. Turner, W. S. Ryu, and H. C. Berg, Real-time imaging of fluorescent flagellar filaments, J. Bacteriol. 182, 2793 (2000).
- [2] D. Nishiguchi, I. S. Aranson, A. Snezhko, and A. Sokolov, Engineering bacterial vortex lattice via direct laser lithography, Nat. Commun. 9, 4486 (2018).
- [3] D. Nishiguchi, J. Iwasawa, H.-R. Jiang, and M. Sano, Flagellar dynamics of chains of active janus particles fueled by an AC electric field, New J. Phys. 20, 015002 (2018).
- [4] A. Bricard, J.-B. Caussin, N. Desreumaux, O. Dauchot, and D. Bartolo, Emergence of macroscopic directed motion in populations of motile colloids, Nature 503, 95 (2013).
- [5] M. Valk, Starling murmuration 2020 #geldermalsen, Youtube.
- [6] D. P. Zitterbart, B. Wienecke, J. P. Butler, and B. Fabry, Coordinated movements prevent jamming in an emperor penguin huddle, PLoS ONE 6, e20260 (2011).
- [7] K. Kawaguchi, R. Kageyama, and M. Sano, Topological defects control collective dynamics in neural progenitor cell cultures, Nature 545, 327 (2017).
- [8] T. Sanchez, D. T. N. Chen, S. J. DeCamp, M. Heymann, and Z. Dogic, Spontaneous motion in hierarchically assembled active matter, Nature 491, 431 (2012).
- [9] C. Bechinger, R. Di Leonardo, H. Löwen, C. Reichhardt, G. Volpe, and G. Volpe, Active particles in complex and crowded environments, Rev. Mod. Phys. 88, 045006 (2016).
- [10] A. Zöttl and H. Stark, Emergent behavior in active colloids, J. Phys.: Condens. Matter 28, 253001 (2016).
- [11] A. Boymelgreen, J. Schiffbauer, B. Khusid, and G. Yossifon, Synthetic electrically driven colloids: a platform for understanding collective behavior in soft matter, Curr. Opin. Colloid Interface Sci., 101603 (2022).
- [12] P. Romanczuk, M. Bär, W. Ebeling, B. Lindner, and L. Schimansky-Geier, Active brownian particles. from individual to collective stochastic dynamics, Eur. Phys. J. Special Topics 202, 1 (2012).
- [13] M. R. Shaebani, A. Wysocki, R. G. Winkler, G. Gompper, and H. Rieger, Computational models for active matter, Nat. Rev. Phys. 2, 181 (2020).
- [14] M. Bär, R. Großmann, S. Heidenreich, and F. Peruani, Self-propelled rods: Insights and perspectives for active matter, Annu. Rev. Condens. Matter Phys. 11, 441 (2019).
- [15] E. Lauga, The Fluid Dynamics of Cell Motility (Cambridge Univ. Press, Cambridge, 2020).
- [16] E. Lauga and T. R. Powers, The hydrodynamics of swimming microorganisms, Rep. Prog. Phys. 72, 096601 (2009).
- [17] J. S. Guasto, R. Rusconi, and R. Stocker, Fluid mechanics of planktonic microorganisms, Annu. Rev. Fluid Mech. 44, 373 (2012).
- [18] E. Lauga, Bacterial hydrodynamics, Annu. Rev. Fluid Mech. 48, 105 (2016).
- [19] H. Chaté, Dry aligning dilute active matter, Annu. Rev. Condens. Matter Phys. 11, 189 (2019), 拡拡充版 arXiv:1906.05542 も参照.
- [20] F. Ginelli, The physics of the vicsek model, Eur. Phys. J. Special Topics 225, 2099 (2016).
- [21] M. C. Marchetti, J. F. Joanny, S. Ramaswamy, T. B. Liverpool, J. Prost, M. Rao, and R. A. Simha, Hydrodynamics of soft active matter, Rev. Mod. Phys. 85, 1143 (2013).
- [22] J. M. Yeomans, The hydrodynamics of active systems, Riv. Nuovo Cimento 40, 1 (2016), arXiv:1603.00194.
- [23] F. Jülicher, S. W. Grill, and G. Salbreux, Hydrodynamic theory of active matter, Rep. Prog. Phys. 81, 076601 (2018).
- [24] D. Saintillan, Rheology of active fluids, Annu. Rev. Fluid Mech. 50, 563 (2018).
- [25] D. Saintillan and M. J. Shelley, Active suspensions and their nonlinear models, C. R. Phys. 14, 497 (2013).
- [26] M. E. Cates and J. Tailleur, Motility-induced phase separation, Annu. Rev. Condens. Matter Phys. 6, 219 (2015).
- [27] R. Alert, J. Casademunt, and J.-F. Joanny, Active turbulence, Annu. Rev. Condens. Matter Phys. 13, 143 (2022).
- [28] A. Doostmohammadi, J. Ignés-Mullol, J. M. Yeomans, and F. Sagués, Active nematics, Nat. Commun. 9, 3246 (2018).
- [29] L. M. C. Janssen, Active glasses, J. Phys.: Condens. Matter 31, 503002 (2019).
- [30] L. Berthier, E. Flenner, and G. Szamel, Glassy dynamics in dense systems of active particles, J. Chem. Phys. 150, 200901 (2019).
- [31] S. Shankar, A. Souslov, M. J. Bowick, M. C. Marchetti, and V. Vitelli, Topological active matter, Nat. Rev. Phys. 4, 380 (2022).
- [32] M. J. Bowick, N. Fakhri, M. C. Marchetti, and S. Ramaswamy, Symmetry, thermodynamics, and topology in active matter, Phys. Rev. X 12, 010501 (2022).
- [33] I. Aranson, Bacterial active matter, Rep. Prog. Phys. 85, 076601 (2022).
- [34] R. Alert and X. Trepat, Physical models of collective cell migration, Annu. Rev. Condens. Matter Phys. 11, 77 (2020).
- [35] 西口大貴, アクティブマター物理学: 集団運動の秩序とゆらぎ (2022), 物性若手夏の学校 2022 テキスト.
- [36] 佐野雅己, 自ら動く物質における秩序とトポロジカル欠陥, 日本物理学会誌 72, 8 (2017).
- [37] R. A. L. Almeida and K. A. Takeuchi, Phase-ordering kinetics in the Allen-Cahn (Model A) class: Universal aspects elucidated by electrically induced transition in liquid crystals, Phys. Rev. E **104**, 054103 (2021).
- [38] V. Narayan, S. Ramaswamy, and N. Menon, Long-lived giant number fluctuations in a swarming granular nematic, Science 317, 105 (2007).
- [39] V. Narayan, N. Menon, and S. Ramaswamy, Nonequilibrium steady states in a vibrated-rod monolayer: tetratic, nematic,

and smectic correlations, J. Stat. Mech. 2006, P01005 (2006).

- [40] D. Nishiguchi, K. H. Nagai, H. Chaté, and M. Sano, Long-range nematic order and anomalous fluctuations in suspensions of swimming filamentous bacteria, Phys. Rev. E 95, 020601 (2017).
- [41] T. Vicsek, A. Czirók, E. Ben-Jacob, I. Cohen, and O. Shochet, Novel type of phase transition in a system of self-driven particles, Phys. Rev. Lett. 75, 1226 (1995).
- [42] H. Chaté, F. Ginelli, and R. Montagne, Simple model for active nematics: Quasi-long-range order and giant fluctuations, Phys. Rev. Lett. 96, 180602 (2006).
- [43] F. Ginelli, F. Peruani, M. Bär, and H. Chaté, Large-scale collective properties of self-propelled rods, Phys. Rev. Lett. 104, 184502 (2010).
- [44] S. Ngo, A. Peshkov, I. S. Aranson, E. Bertin, F. Ginelli, and H. Chaté, Large-scale chaos and fluctuations in active nematics, Phys. Rev. Lett. 113, 038302 (2014).
- [45] B. Mahault and H. Chaté, Long-range nematic order in two-dimensional active matter, Phys. Rev. Lett. 127, 048003 (2021).
- [46] Y. Fily and M. C. Marchetti, Athermal phase separation of self-propelled particles with no alignment, Phys. Rev. Lett. 108, 235702 (2012).
- [47] G. S. Redner, M. F. Hagan, and A. Baskaran, Structure and dynamics of a phase-separating active colloidal fluid, Phys. Rev. Lett. 110, 055701 (2013).
- [48] F. Peruani, A. Deutsch, and M. Bär, Nonequilibrium clustering of self-propelled rods, Phys. Rev. E 74, 030904 (2006).
- [49] H. H. Wensink and H. Löwen, Emergent states in dense systems of active rods: from swarming to turbulence, J. Phys.: Condens. Matter 24, 464130 (2012).
- [50] X. q. Shi and H. Chaté, Self-propelled rods: Linking alignment-dominated and repulsion-dominated active matter, arXiv:1807.00294 (2018).
- [51] R. Großmann, I. S. Aranson, and F. Peruani, A particle-field approach bridges phase separation and collective motion in active matter, Nat. Commun. 11, 5365 (2020).
- [52] University of New Mexico Physics and Astronomy, Laminar flow 2, Youtube (2011).
- [53] E. M. Purcell, Life at low reynolds number, Am. J. Phys. 45, 3 (1977); パーセル・エドワード(著) and 石本健太(訳), 低レイノルズ数の生き物,物性研究・電子版 6, 063101 (2017).
- [54] E. Lauga, Life around the scallop theorem, Soft Matter 7, 3060 (2011).
- [55] K. Ishimoto and M. Yamada, A coordinate-based proof of the scallop theorem, SIAM J. Appl. Math. 72, 1686 (2012).
- [56] J. S. Guasto, K. A. Johnson, and J. P. Gollub, Oscillatory flows induced by microorganisms swimming in two dimensions, Phys. Rev. Lett. 105, 168102 (2010).
- [57] Benthic Canada, Swimming scallop, Youtube.
- [58] D. Killam, How does a scallop swim?, website (2019).
- [59] M. A. Robertson, F. Efremov, and J. Paik, RoboScallop: A bivalve inspired swimming robot, IEEE Robot. Autom. Lett. 4, 2078 (2019).
- [60] K. Drescher, J. Dunkel, L. H. Cisneros, S. Ganguly, and R. E. Goldstein, Fluid dynamics and noise in bacterial cell-cell and cell-surface scattering, Proc. Natl. Acad. Sci. USA 108, 10940 (2011).
- [61] K. Drescher, R. E. Goldstein, N. Michel, M. Polin, and I. Tuval, Direct measurement of the flow field around swimming microorganisms, Phys. Rev. Lett. 105, 168101 (2010).
- [62] J. R. Blake, A note on the image system for a stokeslet in a no-slip boundary, Math. Proc. Cambridge Philos. Soc. 70, 303 (1971).
- [63] J. R. Blake and A. T. Chwang, Fundamental singularities of viscous flow, J. Eng. Math. 8, 23 (1974).
- [64] S. Bianchi, F. Saglimbeni, and R. Di Leonardo, Holographic imaging reveals the mechanism of wall entrapment in swimming bacteria, Phys. Rev. X 7, 011010 (2017).
- [65] A. P. Berke, L. Turner, H. C. Berg, and E. Lauga, Hydrodynamic attraction of swimming microorganisms by surfaces, Phys. Rev. Lett. 101, 038102 (2008).
- [66] G. Li and J. X. Tang, Accumulation of microswimmers near a surface mediated by collision and rotational brownian motion, Phys. Rev. Lett. 103, 078101 (2009).
- [67] W. R. DiLuzio, L. Turner, M. Mayer, P. Garstecki, D. B. Weibel, H. C. Berg, and G. M. Whitesides, Escherichia coli swim on the right-hand side, Nature 435, 1271 (2005).
- [68] E. Lauga, W. R. DiLuzio, G. M. Whitesides, and H. A. Stone, Swimming in circles: Motion of bacteria near solid boundaries, Biophys. J. 90, 400 (2006).
- [69] R. Di Leonardo, D. Dell'Arciprete, L. Angelani, and V. Iebba, Swimming with an image, Phys. Rev. Lett. 106, 038101 (2011).
- [70] L. Lemelle, J.-F. Palierne, E. Chatre, and C. Place, Counterclockwise circular motion of bacteria swimming at the airliquid interface, J. Bacteriol. 192, 6307 (2010).
- [71] A. Walther and A. H. E. Müller, Janus particles, Soft Matter 4, 663 (2008); Janus particles: Synthesis, self-assembly, physical properties, and applications, Chem. Rev. 113, 5194 (2013).
- [72] S. Jiang, Q. Chen, M. Tripathy, E. Luijten, K. S. Schweizer, and S. Granick, Janus particle synthesis and assembly, Adv. Mater. 22, 1060 (2010); J. Zhang, B. A. Grzybowski, and S. Granick, Janus particle synthesis, assembly, and application, Langmuir 33, 6964 (2017).
- [73] W. F. Paxton, K. C. Kistler, C. C. Olmeda, A. Sen, S. K. St. Angelo, Y. Cao, T. E. Mallouk, P. E. Lammert, and V. H. Crespi, Catalytic nanomotors: Autonomous movement of striped nanorods, J. Am. Chem. Soc. 126, 13424 (2004).
- [74] H.-R. Jiang, N. Yoshinaga, and M. Sano, Active motion of a janus particle by self-thermophoresis in a defocused laser

beam, Phys. Rev. Lett. 105, 268302 (2010).

- [75] I. Buttinoni, G. Volpe, F. Kümmel, G. Volpe, and C. Bechinger, Active brownian motion tunable by light, J. Phys.: Condens. Matter 24, 284129 (2012).
- [76] S. Gangwal, O. J. Cayre, M. Z. Bazant, and O. D. Velev, Induced-charge electrophoresis of metallodielectric particles, Phys. Rev. Lett. 100, 058302 (2008).
- [77] J. Iwasawa, D. Nishiguchi, and M. Sano, Algebraic correlations and anomalous fluctuations in ordered flocks of janus particles fueled by an ac electric field, Phys. Rev. Res. 3, 043104 (2021).
- [78] T. M. Squires and M. Z. Bazant, Induced-charge electro-osmosis, J. Fluid. Mech. 509, 217 (2004).
- [79] T. M. Squires and M. Z. Bazant, Breaking symmetries in induced-charge electro-osmosis and electrophoresis, J. Fluid. Mech. 560, 65 (2006).
- [80] R. Suzuki, H. R. Jiang, and M. Sano, Validity of fluctuation theorem on self-propelling particles, arXiv:1104.5607 (2011).
- [81] J. Yan, M. Han, J. Zhang, C. Xu, E. Luijten, and S. Granick, Reconfiguring active particles by electrostatic imbalance, Nat. Mater. 15, 1095 (2016).
- [82] A. Boymelgreen, G. Yossifon, and T. Miloh, Propulsion of active colloids by self-induced field gradients, Langmuir 32, 9540 (2016).
- [83] G. Quincke, Ueber rotationen im constanten electrischen felde, Ann. Phys. Chem. 295, 417 (1896).
- [84] N. Pannacci, L. Lobry, and E. Lemaire, How insulating particles increase the conductivity of a suspension, Phys. Rev. Lett. 99, 094503 (2007).
- [85] W. W. Hackborn, Asymmetric stokes flow between parallel planes due to a rotlet, J. Fluid. Mech. 218, 531 (1990).
- [86] H. Tasaki, Hohenberg-mermin-wagner-type theorems for equilibrium models of flocking, Phys. Rev. Lett. 125, 220601 (2020).
- [87] The Royal Swedish Academy of Sciences, Topological phase transitions and topological phases of matter, nobelprize.org (2016).
- [88] H. Chaté, F. Ginelli, G. Grégoire, and F. Raynaud, Collective motion of self-propelled particles interacting without cohesion, Phys. Rev. E 77, 046113 (2008).
- [89] H. Chaté, F. Ginelli, G. Grégoire, F. Peruani, and F. Raynaud, Modeling collective motion: variations on the vicsek model, Eur. Phys. J. B 64, 451 (2008).
- [90] J. Toner and Y. Tu, Long-range order in a two-dimensional dynamical XY model: How birds fly together, Phys. Rev. Lett. 75, 4326 (1995).
- [91] J. Toner and Y. Tu, Flocks, herds, and schools: A quantitative theory of flocking, Phys. Rev. E 58, 4828 (1998).
- [92] J. Toner, Y. Tu, and S. Ramaswamy, Hydrodynamics and phases of flocks, Special Issue, Ann. Phys. (New York) 318, 170 (2005).
- [93] J. Toner, Reanalysis of the hydrodynamic theory of fluid, polar-ordered flocks, Phys. Rev. E 86, 031918 (2012).
- [94] E. Bertin, M. Droz, and G. Grégoire, Boltzmann and hydrodynamic description for self-propelled particles, Phys. Rev. E 74, 022101 (2006).
- [95] E. Bertin, M. Droz, and G. Grégoire, Hydrodynamic equations for self-propelled particles: microscopic derivation and stability analysis, J. Phys. A 42, 445001 (2009).
- [96] T. Ihle, Kinetic theory of flocking: Derivation of hydrodynamic equations, Phys. Rev. E 83, 030901 (2011).
- [97] A. Peshkov, E. Bertin, F. Ginelli, and H. Chaté, Boltzmann-ginzburg-landau approach for continuous descriptions of generic vicsek-like models, Eur. Phys. J. Special Topics 223, 1315 (2014).
- [98] A. P. Solon and J. Tailleur, Revisiting the flocking transition using active spins, Phys. Rev. Lett. 111, 078101 (2013).
- [99] A. P. Solon and J. Tailleur, Flocking with discrete symmetry: The two-dimensional active ising model, Phys. Rev. E 92, 042119 (2015).
- [100] A. P. Solon, H. Chaté, and J. Tailleur, From phase to microphase separation in flocking models: The essential role of nonequilibrium fluctuations, Phys. Rev. Lett. 114, 068101 (2015).
- [101] S. Ramaswamy, R. A. Simha, and J. Toner, Active nematics on a substrate: Giant number fluctuations and long-time tails, Europhys. Lett. 62, 196 (2003).
- [102] E. Bertin, H. Chaté, F. Ginelli, S. Mishra, A. Peshkov, and S. Ramaswamy, Mesoscopic theory for fluctuating active nematics, New J. Phys. 15, 085032 (2013).
- [103] A. Peshkov, I. S. Aranson, E. Bertin, H. Chaté, and F. Ginelli, Nonlinear field equations for aligning self-propelled rods, Phys. Rev. Lett. 109, 268701 (2012).
- [104] E. Bertin, A. Baskaran, H. Chaté, and M. C. Marchetti, Comparison between smoluchowski and boltzmann approaches for self-propelled rods, Phys. Rev. E 92, 042141 (2015).
- [105] B. Mahault, X.-c. Jiang, E. Bertin, Y.-q. Ma, A. Patelli, X.-q. Shi, and H. Chaté, Self-propelled particles with velocity reversals and ferromagnetic alignment: Active matter class with second-order transition to quasi-long-range polar order, Phys. Rev. Lett. **120**, 258002 (2018).
- [106] N. Kumar, H. Soni, S. Ramaswamy, and A. K. Sood, Flocking at a distance in active granular matter, Nat. Commun. 5, 4688 (2014).
- [107] H. Soni, N. Kumar, J. Nambisan, R. K. Gupta, A. K. Sood, and S. Ramaswamy, Phases and excitations of active rod-bead mixtures: simulations and experiments, Soft Matter 16, 7210 (2020).
- [108] H. P. Zhang, A. Be'er, E.-L. Florin, and H. L. Swinney, Collective motion and density fluctuations in bacterial colonies, Proc. Natl. Acad. Sci. USA 107, 13626 (2010).
- [109] J. Deseigne, O. Dauchot, and H. Chaté, Collective motion of vibrated polar disks, Phys. Rev. Lett. 105, 098001 (2010).
- [110] D. Nishiguchi and M. Sano, Mesoscopic turbulence and local order in janus particles self-propelling under an ac electric

field, Phys. Rev. E 92, 052309 (2015).

- [111] B. Jähne, Spatio-Temporal Image Processing: Theory and Scientific Applications, Lecture Notes in Computer Science (Springer Berlin Heidelberg, 1993).
- [112] S. Torquato, Hyperuniform states of matter, Phys. Rep. 745, 1 (2018).
- [113] B. Mahault, F. Ginelli, and H. Chaté, Quantitative assessment of the toner and tu theory of polar flocks, Phys. Rev. Lett. 123, 218001 (2019).
- [114] Y. Tu, J. Toner, and M. Ulm, Sound waves and the absence of galilean invariance in flocks, Phys. Rev. Lett. 80, 4819 (1998).
- [115] D. Geyer, A. Morin, and D. Bartolo, Sounds and hydrodynamics of polar active fluids, Nat. Mater. 17, 789 (2018).
- [116] A. Sokolov, I. S. Aranson, J. O. Kessler, and R. E. Goldstein, Concentration dependence of the collective dynamics of swimming bacteria, Phys. Rev. Lett. 98, 158102 (2007).
- [117] A. Sokolov and I. S. Aranson, Physical properties of collective motion in suspensions of bacteria, Phys. Rev. Lett. 109, 248109 (2012).
- [118] H. H. Wensink, J. Dunkel, S. Heidenreich, K. Drescher, R. E. Goldstein, H. Löwen, and J. M. Yeomans, Meso-scale turbulence in living fluids, Proc. Natl. Acad. Sci. USA 109, 14308 (2012).
- [119] J. Dunkel, S. Heidenreich, K. Drescher, H. H. Wensink, M. Bär, and R. E. Goldstein, Fluid dynamics of bacterial turbulence, Phys. Rev. Lett. 110, 228102 (2013).
- [120] J. Dunkel, S. Heidenreich, M. Bär, and R. E. Goldstein, Minimal continuum theories of structure formation in dense active fluids, New J. Phys. 15, 045016 (2013).
- [121] M. C. Cross and P. C. Hohenberg, Pattern formation outside of equilibrium, Rev. Mod. Phys. 65, 851 (1993).
- [122] K. Qi, E. Westphal, G. Gompper, and R. G. Winkler, Emergence of active turbulence in microswimmer suspensions due to active hydrodynamic stress and volume exclusion, Commun. Phys. 5, 49 (2022).
- [123] H. Reinken, D. Nishiguchi, S. Heidenreich, A. Sokolov, M. Bär, S. H. L. Klapp, and I. S. Aranson, Organizing bacterial vortex lattices by periodic obstacle arrays, Commun. Phys. 3, 76 (2020).
- [124] H. Reinken, S. H. L. Klapp, M. Bär, and S. Heidenreich, Derivation of a hydrodynamic theory for mesoscale dynamics in microswimmer suspensions, Phys. Rev. E 97, 022613 (2018).
- [125] M. E. Cates and J. Tailleur, When are active brownian particles and run-and-tumble particles equivalent? consequences for motility-induced phase separation, Europhys. Lett. 101, 20010 (2013).
- [126] C. W. Gardiner, Handbook of Stochastic Methods for Physics, Chemistry and the Natural Sciences, 3rd ed., Springer Series in Synergetics (Springer, Berlin, 2004).
- [127] A. J. Bray, Theory of phase-ordering kinetics, Adv. Phys. 43, 357 (1994).
- [128] A. P. Solon, J. Stenhammar, M. E. Cates, Y. Kafri, and J. Tailleur, Generalized thermodynamics of phase equilibria in scalar active matter, Phys. Rev. E 97, 020602 (2018).
- [129] A. P. Solon, J. Stenhammar, M. E. Cates, Y. Kafri, and J. Tailleur, Generalized thermodynamics of motility-induced phase separation: phase equilibria, laplace pressure, and change of ensembles, New J. Phys. 20, 075001 (2018).
- [130] J. Bialké, J. T. Siebert, H. Löwen, and T. Speck, Negative interfacial tension in phase-separated active brownian particles, Phys. Rev. Lett. 115, 098301 (2015).
- [131] E. Tjhung, C. Nardini, and M. E. Cates, Cluster phases and bubbly phase separation in active fluids: Reversal of the ostwald process, Phys. Rev. X 8, 031080 (2018).
- [132] Y. Fily, S. Henkes, and M. C. Marchetti, Freezing and phase separation of self-propelled disks, Soft Matter 10, 2132 (2014).
- [133] P. Digregorio, D. Levis, A. Suma, L. F. Cugliandolo, G. Gonnella, and I. Pagonabarraga, Full phase diagram of active brownian disks: From melting to motility-induced phase separation, Phys. Rev. Lett. 121, 098003 (2018).
- [134] A. K. Omar, K. Klymko, T. GrandPre, and P. L. Geissler, Phase diagram of active brownian spheres: Crystallization and the metastability of motility-induced phase separation, Phys. Rev. Lett. 126, 188002 (2021).
- [135] P. Heller, Experimental investigations of critical phenomena, Rep. Prog. Phys. 30, 731 (1967).
- [136] A. Lytle and D. T. Jacobs, Turbidity determination of the critical exponent η in the liquid–liquid mixture methanol and cyclohexane, J. Chem. Phys. **120**, 5709 (2004).
- [137] T. Speck, Critical behavior of active brownian particles: Connection to field theories, Phys. Rev. E 105, 064601 (2022).
- [138] M. N. van der Linden, L. C. Alexander, D. G. A. L. Aarts, and O. Dauchot, Interrupted motility induced phase separation in aligning active colloids, Phys. Rev. Lett. **123**, 098001 (2019).
- [139] D. Geyer, D. Martin, J. Tailleur, and D. Bartolo, Freezing a flock: Motility-induced phase separation in polar active liquids, Phys. Rev. X 9, 031043 (2019).
- [140] T. Shimaya and K. A. Takeuchi, 3d-induced polar order and topological defects in growing bacterial populations, arXiv:2106.10954.
- [141] P. G. de Gennes and J. Prost, *The Physics of Liquid Crystals*, 2nd ed., International Series of Monographs on Physics, Vol. 83 (Oxford Univ. Press, New York, 1995).
- [142] S. Chandrasekhar, *Liquid Crystals*, 2nd ed. (Cambridge Univ. Press, Cambridge, 1993) 訳書:「液晶の物理学」(吉岡書店, 1995).
- [143] 折原宏, 液晶の物理, 材料学シリーズ (内田老鶴圃, 2004).
- [144] J. M. Ball, Liquid crystals and their defects, in *Mathematical Thermodynamics of Complex Fluids*, Lecture Notes in Mathematics, Vol. 2200, edited by E. Feireisl and E. Rocca (Springer International Publishing, 2017) pp. 1–46, arXiv:1706.06861.
- [145] 福田順一, 液晶の連続体シミュレーションとその背景(その1), 液晶 19, 38 (2015); 液晶の連続体シミュレーションとその背景(その2), 液晶 19, 97 (2015); 液晶の連続体シミュレーションとその背景(その3), 液晶 19, 158 (2015); 液晶の連続体

シミュレーションとその背景(その4),液晶 **19**,216 (2015);液晶の連続体シミュレーションとその背景(その5),液晶 **20**, 109 (2016).

- [146] Y. Poggi, J. Filippini, and R. Aleonard, The free energy as a function of the order parameter in nematic liquid crystals, Phys. Lett. A 57, 53 (1976).
- [147] A. N. Beris and B. J. Edwards, Thermodynamics of Flowing Systems: with Internal Microstructure (Oxford Univ. Press, 1994).
- [148] C. Denniston, Theory and simulation of objects in liquid crystals, Adv. Phys. X 5, 1806728 (2020).
- [149] C. Denniston, E. Orlandini, and J. M. Yeomans, Lattice boltzmann simulations of liquid crystal hydrodynamics, Phys. Rev. E 63, 056702 (2001).
- [150] C. Denniston, D. Marenduzzo, E. Orlandini, and J. M. Yeomans, Lattice boltzmann algorithm for three-dimensional liquid-crystal hydrodynamics, Phil. Trans. R. Soc. A 362, 1745 (2004).
- [151] G. Tóth, C. Denniston, and J. M. Yeomans, Hydrodynamics of topological defects in nematic liquid crystals, Phys. Rev. Lett. 88, 105504 (2002).
- [152] D. Svenšek and S. Žumer, Hydrodynamics of pair-annihilating disclination lines in nematic liquid crystals, Phys. Rev. E 66, 021712 (2002).
- [153] Y. Zushi and K. A. Takeuchi, Scaling and spontaneous symmetry restoring in reconnecting nematic disclinations, arXiv:2110.00442.
- [154] G. Duclos, R. Adkins, D. Banerjee, M. S. E. Peterson, M. Varghese, I. Kolvin, A. Baskaran, R. A. Pelcovits, T. R. Powers, A. Baskaran, F. Toschi, M. F. Hagan, S. J. Streichan, V. Vitelli, D. A. Beller, and Z. Dogic, Topological structure and dynamics of three-dimensional active nematics, Science **367**, 1120 (2020).
- [155] R. A. Simha and S. Ramaswamy, Hydrodynamic fluctuations and instabilities in ordered suspensions of self-propelled particles, Phys. Rev. Lett. 89, 058101 (2002).
- [156] L. Giomi, M. J. Bowick, X. Ma, and M. C. Marchetti, Defect annihilation and proliferation in active nematics, Phys. Rev. Lett. 110, 228101 (2013).
- [157] L. M. Pismen, Vortices in Nonlinear Fields: From Liquid Crystals to Superfluids, from Non-Equilibrium Patterns to Cosmic Strings (Oxford Univ. Press, 1999); Patterns and Interfaces in Dissipative Dynamics (Springer, 2006).
- [158] T. B. Saw, A. Doostmohammadi, V. Nier, L. Kocgozlu, S. Thampi, Y. Toyama, P. Marcq, C. T. Lim, J. M. Yeomans, and B. Ladoux, Topological defects in epithelia govern cell death and extrusion, Nature 544, 212 (2017).
- [159] G. Duclos, C. Erlenkämper, J.-F. Joanny, and P. Silberzan, Topological defects in confined populations of spindle-shaped cells, Nat. Phys. 13, 58 (2017).
- [160] L. Balasubramaniam, A. Doostmohammadi, T. B. Saw, G. H. N. S. Narayana, R. Mueller, T. Dang, M. Thomas, S. Gupta, S. Sonam, A. S. Yap, Y. Toyama, R.-M. Mège, J. M. Yeomans, and B. Ladoux, Investigating the nature of active forces in tissues reveals how contractile cells can form extensile monolayers, Nat. Mater. 20, 1156 (2021).
- [161] S. Shankar, S. Ramaswamy, M. C. Marchetti, and M. J. Bowick, Defect unbinding in active nematics, Phys. Rev. Lett. 121, 108002 (2018).
- [162] K. Copenhagen, R. Alert, N. S. Wingreen, and J. W. Shaevitz, Topological defects promote layer formation in myxococcus xanthus colonies, Nat. Phys. 17, 211 (2021).
- [163] A. Doostmohammadi and B. Ladoux, Physics of liquid crystals in cell biology, Trends Cell Biol. 10.1016/j.tcb.2021.09.012 (2021).
- [164] Y. Maroudas-Sacks, L. Garion, L. Shani-Zerbib, A. Livshits, E. Braun, and K. Keren, Topological defects in the nematic order of actin fibres as organization centres of hydra morphogenesis, Nat. Phys. 17, 251 (2021).
- [165] Y. Guo, M. Jiang, C. Peng, K. Sun, O. Yaroshchuk, O. Lavrentovich, and Q.-H. Wei, High-resolution and high-throughput plasmonic photopatterning of complex molecular orientations in liquid crystals, Adv. Mater. 28, 2353 (2016).
- [166] C. Peng, T. Turiv, Y. Guo, Q.-H. Wei, and O. D. Lavrentovich, Command of active matter by topological defects and patterns, Science 354, 882 (2016).
- [167] T. Turiv, J. Krieger, G. Babakhanova, H. Yu, S. V. Shiyanovskii, Q.-H. Wei, M.-H. Kim, and O. D. Lavrentovich, Topology control of human fibroblast cells monolayer by liquid crystal elastomer, Sci. Adv. 6, eaaz6485 (2020).
- [168] K. D. Endresen, M. Kim, M. Pittman, Y. Chen, and F. Serra, Topological defects of integer charge in cell monolayers, Soft Matter 17, 5878 (2021).
- [169] C. Leclech, D. Gonzalez-Rodriguez, A. Villedieu, T. Lok, A.-M. Déplanche, and A. I. Barakat, Topography-induced large-scale antiparallel collective migration in vascular endothelium, Nat. Commun. 13, 2797 (2022).
- [170] K. Lagree, H. H. Mon, A. P. Mitchell, and W. A. Ducker, Impact of surface topography on biofilm formation by candida albicans, PLOS ONE 13, e0197925 (2018).
- [171] T. Shimaya, R. Okura, Y. Wakamoto, and K. A. Takeuchi, Scale invariance of cell size fluctuations in starving bacteria, Commun. Phys. 4, 238 (2021).
- [172] W. Götze, Complex Dynamics of Glass-Forming Liquids: A Mode-Coupling Theory, International series of monographs on physics (Oxford Univ. Press, New York, 2009).
- [173] G. Parisi, P. Urbani, and F. Zamponi, Theory of Simple Glasses (Cambridge Univ. Press, 2019).
- [174] L. Berthier and G. Biroli, Theoretical perspective on the glass transition and amorphous materials, Rev. Mod. Phys. 83, 587 (2011).
- [175] W. Gotze and L. Sjogren, Relaxation processes in supercooled liquids, Rep. Prog. Phys. 55, 241 (1992).
- [176] G. L. Hunter and E. R. Weeks, The physics of the colloidal glass transition, Rep. Prog. Phys. 75, 066501 (2012).
- [177] P. Charbonneau, J. Kurchan, G. Parisi, P. Urbani, and F. Zamponi, Glass and jamming transitions: From exact results to finite-dimensional descriptions, Annu. Rev. Condens. Matter Phys. 8, 265 (2017).

- [178] L. Berthier, M. Ozawa, and C. Scalliet, Configurational entropy of glass-forming liquids, J. Chem. Phys. 150, 160902 (2019).
- [179] C. P. Royall, F. Turci, and T. Speck, Dynamical phase transitions and their relation to structural and thermodynamic aspects of glass physics, J. Chem. Phys. 153, 090901 (2020).
- [180] 宮崎州正, ガラス転移とモード結合理論:最近の発展と課題,物性研究 88,621 (2007).
- [181] W. Kob and J.-L. Barrat, Aging effects in a lennard-jones glass, Phys. Rev. Lett. 78, 4581 (1997).
- [182] D. R. Reichman and P. Charbonneau, Mode-coupling theory, J. Stat. Mech. 2005, P05013 (2005).
- [183] L. M. C. Janssen, Mode-coupling theory of the glass transition: A primer, Front. Phys. 6, 97 (2018).
- [184] T. C. Boothby, H. Tapia, A. H. Brozena, S. Piszkiewicz, A. E. Smith, I. Giovannini, L. Rebecchi, G. J. Pielak, D. Koshland, and B. Goldstein, Tardigrades use intrinsically disordered proteins to survive desiccation, Mol. Cell 65, 975 (2017).
- [185] E. H. Zhou, X. Trepat, C. Y. Park, G. Lenormand, M. N. Oliver, S. M. Mijailovich, C. Hardin, D. A. Weitz, J. P. Butler, and J. J. Fredberg, Universal behavior of the osmotically compressed cell and its analogy to the colloidal glass transition, Proc. Natl. Acad. Sci. USA 106, 10632 (2009).
- [186] B. R. Parry, I. V. Surovtsev, M. T. Cabeen, C. S. O'Hern, E. R. Dufresne, and C. Jacobs-Wagner, The bacterial cytoplasm has glass-like properties and is fluidized by metabolic activity, Cell 156, 183 (2014).
- [187] K. Nishizawa, K. Fujiwara, M. Ikenaga, N. Nakajo, M. Yanagisawa, and D. Mizuno, Universal glass-forming behavior of in vitro and living cytoplasm, Sci. Rep. 7, 15143 (2017).
- [188] T. E. Angelini, E. Hannezo, X. Trepat, M. Marquez, J. J. Fredberg, and D. A. Weitz, Glass-like dynamics of collective cell migration, Proc. Natl. Acad. Sci. USA 108, 4714 (2011), http://www.pnas.org/content/108/12/4714.full.pdf.
- [189] S. Garcia, E. Hannezo, J. Elgeti, J.-F. Joanny, P. Silberzan, and N. S. Gov, Physics of active jamming during collective cellular motion in a monolayer, Proc. Natl. Acad. Sci. USA 112, 15314 (2015), http://www.pnas.org/content/112/50/15314.full.pdf.
- [190] J.-A. Park, J. H. Kim, D. Bi, J. A. Mitchel, N. T. Qazvini, K. Tantisira, C. Y. Park, M. McGill, S.-H. Kim, B. Gweon, J. Notbohm, R. S. Jr, S. Burger, S. H. Randell, A. T. Kho, D. T. Tambe, C. Hardin, S. A. Shore, E. Israel, D. A. Weitz, D. J. Tschumperlin, E. P. Henske, S. T. Weiss, M. L. Manning, J. P. Butler, J. M. Drazen, and J. J. Fredberg, Unjamming and cell shape in the asthmatic airway epithelium, Nat. Mater. 14, 1040 (2015).
- [191] E. Fodor, C. Nardini, M. E. Cates, J. Tailleur, P. Visco, and F. van Wijland, How far from equilibrium is active matter?, Phys. Rev. Lett. 117, 038103 (2016).
- [192] R. Ni, M. A. C. Stuart, and M. Dijkstra, Pushing the glass transition towards random close packing using self-propelled hard spheres, Nat. Commun. 4, 789 (2013).
- [193] G. Szamel, E. Flenner, and L. Berthier, Glassy dynamics of athermal self-propelled particles: Computer simulations and a nonequilibrium microscopic theory, Phys. Rev. E **91**, 062304 (2015).
- [194] E. Flenner, G. Szamel, and L. Berthier, The nonequilibrium glassy dynamics of self-propelled particles, Soft Matter 12, 7136 (2016).
- [195] L. M. C. Janssen, A. Kaiser, and H. Löwen, Aging and rejuvenation of active matter under topological constraints, Sci. Rep. 7, 5667 (2017).
- [196] G. Szamel, Theory for the dynamics of dense systems of athermal self-propelled particles, Phys. Rev. E **93**, 012603 (2016). [197] S. K. Nandi, R. Mandal, P. J. Bhuyan, C. Dasgupta, M. Rao, and N. S. Gov, A random first-order transition theory for
- an active glass, Proc. Natl. Acad. Sci. USA 115, 7688 (2018). [198] C. C. Perry, M. Weatherly, T. Beale, and A. Randriamahefa, Atomic force microscopy study of the antimicrobial activity
- of aqueous garlic versus ampicillin against escherichia coli and staphylococcus aureus, J. Sci. Food Agric. **89**, 958 (2009). [199] S. Jun, F. Si, R. Pugatch, and M. Scott, Fundamental principles in bacterial physiology - history, recent progress, and
- the future with focus on cell size control: a review, Rep. Prog. Phys. **81**, 056601 (2018).
- [200] W. Mather, O. Mondragón-Palomino, T. Danino, J. Hasty, and L. S. Tsimring, Streaming instability in growing cell populations, Phys. Rev. Lett. 104, 208101 (2010).
- [201] H. Lama, M. Yamamoto, Y. Furuta, T. Shimaya, and K. A. Takeuchi, Emergence of bacterial glass: two-step glass transition in 2d bacterial suspension, arXiv:2205.10436.
- [202] V. A. Martinez, R. Besseling, O. A. Croze, J. Tailleur, M. Reufer, J. Schwarz-Linek, L. G. Wilson, M. A. Bees, and W. C. Poon, Differential dynamic microscopy: A high-throughput method for characterizing the motility of microorganisms, Biophys. J. 103, 1637 (2012).
- [203] R. Pastore, G. Pesce, and M. Caggioni, Differential variance analysis: a direct method to quantify and visualize dynamic heterogeneities, Sci. Rep. 7, 43496 (2017).
- [204] Z. Zheng, F. Wang, and Y. Han, Glass transitions in quasi-two-dimensional suspensions of colloidal ellipsoids, Phys. Rev. Lett. 107, 065702 (2011).
- [205] Z. Zheng, R. Ni, F. Wang, M. Dijkstra, Y. Wang, and Y. Han, Structural signatures of dynamic heterogeneities in monolayers of colloidal ellipsoids, Nat. Commun. 5, 3829 (2014).
- [206] C. K. Mishra, A. Rangarajan, and R. Ganapathy, Two-step glass transition induced by attractive interactions in quasitwo-dimensional suspensions of ellipsoidal particles, Phys. Rev. Lett. 110, 188301 (2013).
- [207] J. Roller, A. Laganapan, J.-M. Meijer, M. Fuchs, and A. Zumbusch, Observation of liquid glass in suspensions of ellipsoidal colloids, Proc. Natl. Acad. Sci. USA 118, e2018072118 (2021).
- [208] M. Letz, R. Schilling, and A. Latz, Ideal glass transitions for hard ellipsoids, Phys. Rev. E 62, 5173 (2000).
- [209] R. Mandal, P. J. Bhuyan, P. Chaudhuri, M. Rao, and C. Dasgupta, Glassy swirls of active dumbbells, Phys. Rev. E 96, 042605 (2017).