

# Intensive lecture “Physics of Active Matter” reference list

Kazumasa A. Takeuchi\*

*Department of Physics, The University of Tokyo*

(Dated: June 6, 2023)

## Chap. 1

### What is active matter?

slide 4: [1–5]  
slide 6: [6–34]  
slide 7: [1, 2, 4, 5]  
slides 9–10: [3–5, 35–37]

## Chap. 2

### Self-propelled particles

slides 15–17: [6, 9]  
slide 18: [16, 17, 38]  
slide 21: [16, 17, 38–40]  
slide 22: [16, 17, 40–42]  
slide 23: [23, 43, 44]  
slide 24: [9, 11, 45–48]  
slide 25: [6, 31]  
slide 26: [6, 31, 49–51]  
slide 27: [1, 52]  
slide 29: [12]  
slide 30: [12, 53]  
slide 31: [21, 53]  
slide 32: [21, 54]  
slide 34: [13]  
slide 35: [12, 13, 21, 55–58]  
slide 36: [6–8, 59–64]  
slide 37: [64–66]  
slide 38: [5]  
slide 39: [5, 67–69]  
slide 40: [65, 70]  
slide 41: [71–73]  
slide 42: [73]

## Chap. 3

### Flocking & phase transition thereto

slides 44–49: [16, 17]  
slide 50: [16, 17, 74, 75]  
slide 51: [16, 17]  
slide 52: [16, 17, 38, 76, 77]  
slide 53: [78–81]  
slides 54–56: [82–85]  
slide 57: [16, 82, 83, 85, 86]  
slide 58: [16, 82, 83, 85]  
slide 63: [16, 87, 88]  
slide 64: [16, 70, 78–81, 89]  
slide 65: [16]  
slide 66: [73, 86–88]  
slide 67: [37, 70, 90, 91]

slide 68: [2, 24, 92–98]

## Chap. 4

### Motility-induced phase separation

slide 3: [23, 43, 44]  
slide 4: [6, 23, 99]  
slide 5: [23, 99]  
slide 6: [23, 99, 100]  
slides 7–9: [23, 99]  
slide 10: [23, 99, 101–103]  
slide 11: [103–105]  
slides 12–13: [106]

## Chap. 5

### Active liquid crystal

slide 15: [4, 107, 108]  
slides 16–17: [109–112]  
slide 18: 1 [109–111, 113]  
slide 19: [109–111, 113, 114]  
slide 20: [109–111, 113, 115–118]  
slide 21: [109–111]  
slide 22: [119]  
slide 23: [120]  
slide 24: [120, 121]  
slide 25: [4, 120]  
slide 26: [4, 107, 108, 122–124]  
slide 27: [107, 108, 125]  
slide 28: [122, 126, 127]

## Colloquium

### Glassy state of active matter and its realization in bacterial populations

slide 2: [70, 128]  
slide 3: [129–139]  
slide 4: [129–137]  
slide 5: [129–138, 140]  
slide 6: [129–138]  
slide 7: [129–138, 140]  
slide 8: [129–137]  
slide 9: [27, 129–137]  
slide 10: [129–137, 141]  
slide 11: [129, 137, 138, 142]  
slide 12: [143]  
slide 13: [144–146]  
slide 14: [147–149]  
slide 15: [27, 28, 145–147, 149–152]  
slide 16: [1, 128, 153–155]  
slide 17: [128, 156]  
slide 18: [128]  
slide 19: [157]  
slide 21: [158, 159]

---

\* mail:kat@kaztake.org

slide 24: [160–163]  
 slide 28: [131, 159]  
 slide 29: [157]

slide 30: [160–165]  
 slide 31: [129, 132, 150, 151]  
 slide 32: [128, 157]

※ Each reference contains a hyperlink to the journal/book (click either the journal name or the book title).

- 
- [1] L. Turner, W. S. Ryu, and H. C. Berg, Real-time imaging of fluorescent flagellar filaments, *J. Bacteriol.* **182**, 2793 (2000).
- [2] D. Nishiguchi, I. S. Aranson, A. Snezhko, and A. Sokolov, Engineering bacterial vortex lattice via direct laser lithography, *Nat. Commun.* **9**, 4486 (2018).
- [3] M. Valk, Starling murmuration 2020 #geldermalsen, Youtube.
- [4] T. Sanchez, D. T. N. Chen, S. J. DeCamp, M. Heymann, and Z. Dogic, Spontaneous motion in hierarchically assembled active matter, *Nature* **491**, 431 (2012).
- [5] D. Nishiguchi, J. Iwasawa, H.-R. Jiang, and M. Sano, Flagellar dynamics of chains of active janus particles fueled by an AC electric field, *New J. Phys.* **20**, 015002 (2018).
- [6] C. Bechinger, R. Di Leonardo, H. Löwen, C. Reichhardt, G. Volpe, and G. Volpe, Active particles in complex and crowded environments, *Rev. Mod. Phys.* **88**, 045006 (2016).
- [7] A. Zöttl and H. Stark, Emergent behavior in active colloids, *J. Phys.: Condens. Matter* **28**, 253001 (2016).
- [8] A. Boymelgreen, J. Schiffbauer, B. Khusid, and G. Yossifon, Synthetic electrically driven colloids: a platform for understanding collective behavior in soft matter, *Curr. Opin. Colloid Interface Sci.* , 101603 (2022).
- [9] P. Romanczuk, M. Bär, W. Ebeling, B. Lindner, and L. Schimansky-Geier, Active brownian particles. from individual to collective stochastic dynamics, *Eur. Phys. J. Special Topics* **202**, 1 (2012).
- [10] M. R. Shaebani, A. Wysocki, R. G. Winkler, G. Gompper, and H. Rieger, Computational models for active matter, *Nat. Rev. Phys.* **2**, 181 (2020).
- [11] M. Bär, R. Großmann, S. Heidenreich, and F. Peruani, Self-propelled rods: Insights and perspectives for active matter, *Annu. Rev. Condens. Matter Phys.* **11**, 441 (2019).
- [12] E. Lauga, *The Fluid Dynamics of Cell Motility* (Cambridge Univ. Press, Cambridge, 2020).
- [13] E. Lauga and T. R. Powers, The hydrodynamics of swimming microorganisms, *Rep. Prog. Phys.* **72**, 096601 (2009).
- [14] J. S. Guasto, R. Rusconi, and R. Stocker, Fluid mechanics of planktonic microorganisms, *Annu. Rev. Fluid Mech.* **44**, 373 (2012).
- [15] E. Lauga, Bacterial hydrodynamics, *Annu. Rev. Fluid Mech.* **48**, 105 (2016).
- [16] H. Chaté, Dry aligning dilute active matter, *Annu. Rev. Condens. Matter Phys.* **11**, 189 (2019), 拡充版 arXiv:1906.05542 も参照.
- [17] F. Ginelli, The physics of the vicsek model, *Eur. Phys. J. Special Topics* **225**, 2099 (2016).
- [18] M. C. Marchetti, J. F. Joanny, S. Ramaswamy, T. B. Liverpool, J. Prost, M. Rao, and R. A. Simha, Hydrodynamics of soft active matter, *Rev. Mod. Phys.* **85**, 1143 (2013).
- [19] J. M. Yeomans, The hydrodynamics of active systems, *Riv. Nuovo Cimento* **40**, 1 (2016), arXiv:1603.00194.
- [20] F. Jülicher, S. W. Grill, and G. Salbreux, Hydrodynamic theory of active matter, *Rep. Prog. Phys.* **81**, 076601 (2018).
- [21] D. Saintillan, Rheology of active fluids, *Annu. Rev. Fluid Mech.* **50**, 563 (2018).
- [22] D. Saintillan and M. J. Shelley, Active suspensions and their nonlinear models, *C. R. Phys.* **14**, 497 (2013).
- [23] M. E. Cates and J. Tailleur, Motility-induced phase separation, *Annu. Rev. Condens. Matter Phys.* **6**, 219 (2015).
- [24] R. Alert, J. Casademunt, and J.-F. Joanny, Active turbulence, *Annu. Rev. Condens. Matter Phys.* **13**, 143 (2022).
- [25] A. Doostmohammadi, J. Ignés-Mullol, J. M. Yeomans, and F. Sagués, Active nematics, *Nat. Commun.* **9**, 3246 (2018).
- [26] 竹内一将, トポロジカルな点導く、細胞の集団運動, *細胞* **55**, 166 (2023).
- [27] L. M. C. Janssen, Active glasses, *J. Phys.: Condens. Matter* **31**, 503002 (2019).
- [28] L. Berthier, E. Flenner, and G. Szamel, Glassy dynamics in dense systems of active particles, *J. Chem. Phys.* **150**, 200901 (2019).
- [29] S. Shankar, A. Souslov, M. J. Bowick, M. C. Marchetti, and V. Vitelli, Topological active matter, *Nat. Rev. Phys.* **4**, 380 (2022).
- [30] M. J. Bowick, N. Fakhri, M. C. Marchetti, and S. Ramaswamy, Symmetry, thermodynamics, and topology in active matter, *Phys. Rev. X* **12**, 010501 (2022).
- [31] I. Aranson, Bacterial active matter, *Rep. Prog. Phys.* **85**, 076601 (2022).
- [32] R. Alert and X. Trepat, Physical models of collective cell migration, *Annu. Rev. Condens. Matter Phys.* **11**, 77 (2020).
- [33] 西口大貴, アクティブマター物理学: 集団運動の秩序とゆらぎ, 物性若手夏の学校テキスト **1**, 304 (2023), 物性若手夏の学校 2022 テキスト.
- [34] 佐野雅己, 自ら動く物質における秩序とトポロジカル欠陥, *日本物理学会誌* **72**, 8 (2017).
- [35] V. Narayan, S. Ramaswamy, and N. Menon, Long-lived giant number fluctuations in a swarming granular nematic, *Science* **317**, 105 (2007).
- [36] V. Narayan, N. Menon, and S. Ramaswamy, Nonequilibrium steady states in a vibrated-rod monolayer: tetratic, nematic, and smectic correlations, *J. Stat. Mech.* **2006**, P01005 (2006).

- [37] D. Nishiguchi, K. H. Nagai, H. Chaté, and M. Sano, Long-range nematic order and anomalous fluctuations in suspensions of swimming filamentous bacteria, *Phys. Rev. E* **95**, 020601 (2017).
- [38] T. Vicsek, A. Czirók, E. Ben-Jacob, I. Cohen, and O. Shochet, Novel type of phase transition in a system of self-driven particles, *Phys. Rev. Lett.* **75**, 1226 (1995).
- [39] H. Chaté, F. Ginelli, and R. Montagne, Simple model for active nematics: Quasi-long-range order and giant fluctuations, *Phys. Rev. Lett.* **96**, 180602 (2006).
- [40] F. Ginelli, F. Peruani, M. Bär, and H. Chaté, Large-scale collective properties of self-propelled rods, *Phys. Rev. Lett.* **104**, 184502 (2010).
- [41] S. Ngo, A. Peshkov, I. S. Aranson, E. Bertin, F. Ginelli, and H. Chaté, Large-scale chaos and fluctuations in active nematics, *Phys. Rev. Lett.* **113**, 038302 (2014).
- [42] B. Mahault and H. Chaté, Long-range nematic order in two-dimensional active matter, *Phys. Rev. Lett.* **127**, 048003 (2021).
- [43] Y. Fily and M. C. Marchetti, Athermal phase separation of self-propelled particles with no alignment, *Phys. Rev. Lett.* **108**, 235702 (2012).
- [44] G. S. Redner, M. F. Hagan, and A. Baskaran, Structure and dynamics of a phase-separating active colloidal fluid, *Phys. Rev. Lett.* **110**, 055701 (2013).
- [45] F. Peruani, A. Deutsch, and M. Bär, Nonequilibrium clustering of self-propelled rods, *Phys. Rev. E* **74**, 030904 (2006).
- [46] H. H. Wensink and H. Löwen, Emergent states in dense systems of active rods: from swarming to turbulence, *J. Phys.: Condens. Matter* **24**, 464130 (2012).
- [47] X. q. Shi and H. Chaté, Self-propelled rods: Linking alignment-dominated and repulsion-dominated active matter, arXiv:1807.00294 (2018).
- [48] R. Großmann, I. S. Aranson, and F. Peruani, A particle-field approach bridges phase separation and collective motion in active matter, *Nat. Commun.* **11**, 5365 (2020).
- [49] E. M. Purcell, Life at low Reynolds number, *Am. J. Phys.* **45**, 3 (1977); パーセル・エドワード (著) and 石本健太 (訳), 低レイノルズ数の生き物, 物性研究・電子版 **6**, 063101 (2017).
- [50] E. Lauga, Life around the scallop theorem, *Soft Matter* **7**, 3060 (2011).
- [51] K. Ishimoto and M. Yamada, A coordinate-based proof of the scallop theorem, *SIAM J. Appl. Math.* **72**, 1686 (2012).
- [52] J. S. Guasto, K. A. Johnson, and J. P. Gollub, Oscillatory flows induced by microorganisms swimming in two dimensions, *Phys. Rev. Lett.* **105**, 168102 (2010).
- [53] K. Drescher, J. Dunkel, L. H. Cisneros, S. Ganguly, and R. E. Goldstein, Fluid dynamics and noise in bacterial cell-cell and cell-surface scattering, *Proc. Natl. Acad. Sci. USA* **108**, 10940 (2011).
- [54] K. Drescher, R. E. Goldstein, N. Michel, M. Polin, and I. Tuval, Direct measurement of the flow field around swimming microorganisms, *Phys. Rev. Lett.* **105**, 168101 (2010).
- [55] J. R. Blake, A note on the image system for a stokeslet in a no-slip boundary, *Math. Proc. Cambridge Philos. Soc.* **70**, 303 (1971).
- [56] J. R. Blake and A. T. Chwang, Fundamental singularities of viscous flow, *J. Eng. Math.* **8**, 23 (1974).
- [57] G. Li and J. X. Tang, Accumulation of microswimmers near a surface mediated by collision and rotational brownian motion, *Phys. Rev. Lett.* **103**, 078101 (2009).
- [58] S. Bianchi, F. Saglimbeni, and R. Di Leonardo, Holographic imaging reveals the mechanism of wall entrapment in swimming bacteria, *Phys. Rev. X* **7**, 011010 (2017).
- [59] A. Walther and A. H. E. Müller, Janus particles, *Soft Matter* **4**, 663 (2008); Janus particles: Synthesis, self-assembly, physical properties, and applications, *Chem. Rev.* **113**, 5194 (2013).
- [60] S. Jiang, Q. Chen, M. Tripathy, E. Luijten, K. S. Schweizer, and S. Granick, Janus particle synthesis and assembly, *Adv. Mater.* **22**, 1060 (2010); J. Zhang, B. A. Grzybowski, and S. Granick, Janus particle synthesis, assembly, and application, *Langmuir* **33**, 6964 (2017).
- [61] W. F. Paxton, K. C. Kistler, C. C. Olmeda, A. Sen, S. K. St. Angelo, Y. Cao, T. E. Mallouk, P. E. Lammert, and V. H. Crespi, Catalytic nanomotors: Autonomous movement of striped nanorods, *J. Am. Chem. Soc.* **126**, 13424 (2004).
- [62] H.-R. Jiang, N. Yoshinaga, and M. Sano, Active motion of a janus particle by self-thermophoresis in a defocused laser beam, *Phys. Rev. Lett.* **105**, 268302 (2010).
- [63] I. Buttinoni, G. Volpe, F. Kümmel, G. Volpe, and C. Bechinger, Active brownian motion tunable by light, *J. Phys.: Condens. Matter* **24**, 284129 (2012).
- [64] S. Gangwal, O. J. Cayre, M. Z. Bazant, and O. D. Velev, Induced-charge electrophoresis of metallodielectric particles, *Phys. Rev. Lett.* **100**, 058302 (2008).
- [65] T. M. Squires and M. Z. Bazant, Induced-charge electro-osmosis, *J. Fluid. Mech.* **509**, 217 (2004).
- [66] T. M. Squires and M. Z. Bazant, Breaking symmetries in induced-charge electro-osmosis and electrophoresis, *J. Fluid. Mech.* **560**, 65 (2006).
- [67] R. Suzuki, H. R. Jiang, and M. Sano, Validity of fluctuation theorem on self-propelling particles, arXiv:1104.5607 (2011).
- [68] J. Yan, M. Han, J. Zhang, C. Xu, E. Luijten, and S. Granick, Reconfiguring active particles by electrostatic imbalance, *Nat. Mater.* **15**, 1095 (2016).
- [69] A. Boymgreen, G. Yossifon, and T. Miloh, Propulsion of active colloids by self-induced field gradients, *Langmuir* **32**, 9540 (2016).
- [70] J. Iwasawa, D. Nishiguchi, and M. Sano, Algebraic correlations and anomalous fluctuations in ordered flocks of janus particles fueled by an ac electric field, *Phys. Rev. Res.* **3**, 043104 (2021).
- [71] G. Quincke, Ueber rotationen im constanten electrischen felde, *Ann. Phys. Chem.* **295**, 417 (1896).

- [72] N. Pannacci, L. Lobry, and E. Lemaire, How insulating particles increase the conductivity of a suspension, *Phys. Rev. Lett.* **99**, 094503 (2007).
- [73] A. Bricard, J.-B. Caussin, N. Desreumaux, O. Dauchot, and D. Bartolo, Emergence of macroscopic directed motion in populations of motile colloids, *Nature* **503**, 95 (2013).
- [74] H. Tasaki, Hohenberg-mermin-wagner-type theorems for equilibrium models of flocking, *Phys. Rev. Lett.* **125**, 220601 (2020).
- [75] The Royal Swedish Academy of Sciences, Topological phase transitions and topological phases of matter, nobelprize.org (2016).
- [76] H. Chaté, F. Ginelli, G. Grégoire, and F. Raynaud, Collective motion of self-propelled particles interacting without cohesion, *Phys. Rev. E* **77**, 046113 (2008).
- [77] H. Chaté, F. Ginelli, G. Grégoire, F. Peruani, and F. Raynaud, Modeling collective motion: variations on the vicsek model, *Eur. Phys. J. B* **64**, 451 (2008).
- [78] J. Toner and Y. Tu, Long-range order in a two-dimensional dynamical XY model: How birds fly together, *Phys. Rev. Lett.* **75**, 4326 (1995).
- [79] J. Toner and Y. Tu, Flocks, herds, and schools: A quantitative theory of flocking, *Phys. Rev. E* **58**, 4828 (1998).
- [80] J. Toner, Y. Tu, and S. Ramaswamy, Hydrodynamics and phases of flocks, *Special Issue, Ann. Phys. (New York)* **318**, 170 (2005).
- [81] J. Toner, Reanalysis of the hydrodynamic theory of fluid, polar-ordered flocks, *Phys. Rev. E* **86**, 031918 (2012).
- [82] E. Bertin, M. Droz, and G. Grégoire, Boltzmann and hydrodynamic description for self-propelled particles, *Phys. Rev. E* **74**, 022101 (2006).
- [83] E. Bertin, M. Droz, and G. Grégoire, Hydrodynamic equations for self-propelled particles: microscopic derivation and stability analysis, *J. Phys. A* **42**, 445001 (2009).
- [84] T. Ihle, Kinetic theory of flocking: Derivation of hydrodynamic equations, *Phys. Rev. E* **83**, 030901 (2011).
- [85] A. Peshkov, E. Bertin, F. Ginelli, and H. Chaté, Boltzmann-ginzburg-landau approach for continuous descriptions of generic vicsek-like models, *Eur. Phys. J. Special Topics* **223**, 1315 (2014).
- [86] A. P. Solon, H. Chaté, and J. Tailleur, From phase to microphase separation in flocking models: The essential role of nonequilibrium fluctuations, *Phys. Rev. Lett.* **114**, 068101 (2015).
- [87] A. P. Solon and J. Tailleur, Revisiting the flocking transition using active spins, *Phys. Rev. Lett.* **111**, 078101 (2013).
- [88] A. P. Solon and J. Tailleur, Flocking with discrete symmetry: The two-dimensional active ising model, *Phys. Rev. E* **92**, 042119 (2015).
- [89] B. Mahault, F. Ginelli, and H. Chaté, Quantitative assessment of the toner and tu theory of polar flocks, *Phys. Rev. Lett.* **123**, 218001 (2019).
- [90] N. Kumar, H. Soni, S. Ramaswamy, and A. K. Sood, Flocking at a distance in active granular matter, *Nat. Commun.* **5**, 4688 (2014).
- [91] H. Soni, N. Kumar, J. Nambisan, R. K. Gupta, A. K. Sood, and S. Ramaswamy, Phases and excitations of active rod-bead mixtures: simulations and experiments, *Soft Matter* **16**, 7210 (2020).
- [92] H. P. Zhang, A. Be'er, E.-L. Florin, and H. L. Swinney, Collective motion and density fluctuations in bacterial colonies, *Proc. Natl. Acad. Sci. USA* **107**, 13626 (2010).
- [93] J. Deseigne, O. Dauchot, and H. Chaté, Collective motion of vibrated polar disks, *Phys. Rev. Lett.* **105**, 098001 (2010).
- [94] D. Nishiguchi and M. Sano, Mesoscopic turbulence and local order in janus particles self-propelling under an ac electric field, *Phys. Rev. E* **92**, 052309 (2015).
- [95] H. H. Wensink, J. Dunkel, S. Heidenreich, K. Drescher, R. E. Goldstein, H. Löwen, and J. M. Yeomans, Meso-scale turbulence in living fluids, *Proc. Natl. Acad. Sci. USA* **109**, 14308 (2012).
- [96] J. Dunkel, S. Heidenreich, K. Drescher, H. H. Wensink, M. Bär, and R. E. Goldstein, Fluid dynamics of bacterial turbulence, *Phys. Rev. Lett.* **110**, 228102 (2013).
- [97] J. Dunkel, S. Heidenreich, M. Bär, and R. E. Goldstein, Minimal continuum theories of structure formation in dense active fluids, *New J. Phys.* **15**, 045016 (2013).
- [98] H. Reinken, D. Nishiguchi, S. Heidenreich, A. Sokolov, M. Bär, S. H. L. Klapp, and I. S. Aranson, Organizing bacterial vortex lattices by periodic obstacle arrays, *Commun. Phys.* **3**, 76 (2020).
- [99] M. E. Cates and J. Tailleur, When are active brownian particles and run-and-tumble particles equivalent? consequences for motility-induced phase separation, *Europhys. Lett.* **101**, 20010 (2013).
- [100] C. W. Gardiner, *Handbook of Stochastic Methods for Physics, Chemistry and the Natural Sciences*, 3rd ed., Springer Series in Synergetics (Springer, Berlin, 2004).
- [101] A. J. Bray, Theory of phase-ordering kinetics, *Adv. Phys.* **43**, 357 (1994).
- [102] A. P. Solon, J. Stenhammar, M. E. Cates, Y. Kafri, and J. Tailleur, Generalized thermodynamics of phase equilibria in scalar active matter, *Phys. Rev. E* **97**, 020602 (2018).
- [103] A. P. Solon, J. Stenhammar, M. E. Cates, Y. Kafri, and J. Tailleur, Generalized thermodynamics of motility-induced phase separation: phase equilibria, laplace pressure, and change of ensembles, *New J. Phys.* **20**, 075001 (2018).
- [104] J. Bialké, J. T. Siebert, H. Löwen, and T. Speck, Negative interfacial tension in phase-separated active brownian particles, *Phys. Rev. Lett.* **115**, 098301 (2015).
- [105] E. Tjhung, C. Nardini, and M. E. Cates, Cluster phases and bubbly phase separation in active fluids: Reversal of the ostwald process, *Phys. Rev. X* **8**, 031080 (2018).
- [106] D. Geyer, D. Martin, J. Tailleur, and D. Bartolo, Freezing a flock: Motility-induced phase separation in polar active liquids, *Phys. Rev. X* **9**, 031043 (2019).

- [107] T. Shimaya and K. A. Takeuchi, Tilt-induced polar order and topological defects in growing bacterial populations, *PNAS Nexus* **1**, pgac269 (2022).
- [108] K. Kawaguchi, R. Kageyama, and M. Sano, Topological defects control collective dynamics in neural progenitor cell cultures, *Nature* **545**, 327 (2017).
- [109] P. G. de Gennes and J. Prost, *The Physics of Liquid Crystals*, 2nd ed., International Series of Monographs on Physics, Vol. 83 (Oxford Univ. Press, New York, 1995).
- [110] S. Chandrasekhar, *Liquid Crystals*, 2nd ed. (Cambridge Univ. Press, Cambridge, 1993) 訳書:「液晶の物理学」(吉岡書店, 1995).
- [111] 折原宏, **液晶の物理**, 材料学シリーズ (内田老鶴圃, 2004).
- [112] J. M. Ball, Liquid crystals and their defects, in *Mathematical Thermodynamics of Complex Fluids*, Lecture Notes in Mathematics, Vol. 2200, edited by E. Feireisl and E. Rocca (Springer International Publishing, 2017) pp. 1–46, arXiv:1706.06861.
- [113] 福田順一, 液晶の連続体シミュレーションとその背景 (その 1), *液晶* **19**, 38 (2015); 液晶の連続体シミュレーションとその背景 (その 2), *液晶* **19**, 97 (2015); 液晶の連続体シミュレーションとその背景 (その 3), *液晶* **19**, 158 (2015); 液晶の連続体シミュレーションとその背景 (その 4), *液晶* **19**, 216 (2015); 液晶の連続体シミュレーションとその背景 (その 5), *液晶* **20**, 109 (2016).
- [114] Y. Poggi, J. Filippini, and R. Aleonard, The free energy as a function of the order parameter in nematic liquid crystals, *Phys. Lett. A* **57**, 53 (1976).
- [115] A. N. Beris and B. J. Edwards, *Thermodynamics of Flowing Systems: with Internal Microstructure* (Oxford Univ. Press, 1994).
- [116] C. Denniston, Theory and simulation of objects in liquid crystals, *Adv. Phys. X* **5**, 1806728 (2020).
- [117] C. Denniston, E. Orlandini, and J. M. Yeomans, Lattice boltzmann simulations of liquid crystal hydrodynamics, *Phys. Rev. E* **63**, 056702 (2001).
- [118] C. Denniston, D. Marenduzzo, E. Orlandini, and J. M. Yeomans, Lattice boltzmann algorithm for three-dimensional liquid-crystal hydrodynamics, *Phil. Trans. R. Soc. A* **362**, 1745 (2004).
- [119] R. A. Simha and S. Ramaswamy, Hydrodynamic fluctuations and instabilities in ordered suspensions of self-propelled particles, *Phys. Rev. Lett.* **89**, 058101 (2002).
- [120] L. Giomi, M. J. Bowick, X. Ma, and M. C. Marchetti, Defect annihilation and proliferation in active nematics, *Phys. Rev. Lett.* **110**, 228101 (2013).
- [121] L. M. Pismen, *Vortices in Nonlinear Fields: From Liquid Crystals to Superfluids, from Non-Equilibrium Patterns to Cosmic Strings* (Oxford Univ. Press, 1999); *Patterns and Interfaces in Dissipative Dynamics* (Springer, 2006).
- [122] T. B. Saw, A. Doostmohammadi, V. Nier, L. Kocgozlu, S. Thampi, Y. Toyama, P. Marcq, C. T. Lim, J. M. Yeomans, and B. Ladoux, Topological defects in epithelia govern cell death and extrusion, *Nature* **544**, 212 (2017).
- [123] G. Duclos, C. Erlenkämper, J.-F. Joanny, and P. Silberzan, Topological defects in confined populations of spindle-shaped cells, *Nat. Phys.* **13**, 58 (2017).
- [124] L. Balasubramaniam, A. Doostmohammadi, T. B. Saw, G. H. N. S. Narayana, R. Mueller, T. Dang, M. Thomas, S. Gupta, S. Sonam, A. S. Yap, Y. Toyama, R.-M. Mège, J. M. Yeomans, and B. Ladoux, Investigating the nature of active forces in tissues reveals how contractile cells can form extensile monolayers, *Nat. Mater.* **20**, 1156 (2021).
- [125] K. Copenhagen, R. Alert, N. S. Wingreen, and J. W. Shaevitz, Topological defects promote layer formation in myxococcus xanthus colonies, *Nat. Phys.* **17**, 211 (2021).
- [126] A. Doostmohammadi and B. Ladoux, Physics of liquid crystals in cell biology, *Trends Cell Biol.* 10.1016/j.tcb.2021.09.012 (2021).
- [127] Y. Maroudas-Sacks, L. Garion, L. Shani-Zerbib, A. Livshits, E. Braun, and K. Keren, Topological defects in the nematic order of actin fibres as organization centres of hydra morphogenesis, *Nat. Phys.* **17**, 251 (2021).
- [128] T. Shimaya, R. Okura, Y. Wakamoto, and K. A. Takeuchi, Scale invariance of cell size fluctuations in starving bacteria, *Commun. Phys.* **4**, 238 (2021).
- [129] W. Götze, *Complex Dynamics of Glass-Forming Liquids: A Mode-Coupling Theory*, International series of monographs on physics (Oxford Univ. Press, New York, 2009).
- [130] G. Parisi, P. Urbani, and F. Zamponi, *Theory of Simple Glasses* (Cambridge Univ. Press, 2019).
- [131] L. Berthier and G. Biroli, Theoretical perspective on the glass transition and amorphous materials, *Rev. Mod. Phys.* **83**, 587 (2011).
- [132] W. Gotze and L. Sjogren, Relaxation processes in supercooled liquids, *Rep. Prog. Phys.* **55**, 241 (1992).
- [133] G. L. Hunter and E. R. Weeks, The physics of the colloidal glass transition, *Rep. Prog. Phys.* **75**, 066501 (2012).
- [134] P. Charbonneau, J. Kurchan, G. Parisi, P. Urbani, and F. Zamponi, Glass and jamming transitions: From exact results to finite-dimensional descriptions, *Annu. Rev. Condens. Matter Phys.* **8**, 265 (2017).
- [135] L. Berthier, M. Ozawa, and C. Scalliet, Configurational entropy of glass-forming liquids, *J. Chem. Phys.* **150**, 160902 (2019).
- [136] C. P. Royall, F. Turci, and T. Speck, Dynamical phase transitions and their relation to structural and thermodynamic aspects of glass physics, *J. Chem. Phys.* **153**, 090901 (2020).
- [137] 宮崎州正, ガラス転移とモード結合理論: 最近の発展と課題, *物性研究* **88**, 621 (2007).
- [138] L. M. C. Janssen, Mode-coupling theory of the glass transition: A primer, *Front. Phys.* **6**, 97 (2018).
- [139] C. Seife, What is the universe made of?, *Science* **309**, 78 (2005).
- [140] P. G. Debenedetti and F. H. Stillinger, Supercooled liquids and the glass transition, *Nature* **410**, 259 (2001).
- [141] W. Kob and J.-L. Barrat, Aging effects in a lennard-jones glass, *Phys. Rev. Lett.* **78**, 4581 (1997).
- [142] D. R. Reichman and P. Charbonneau, Mode-coupling theory, *J. Stat. Mech.* **2005**, P05013 (2005).

- [143] T. C. Boothby, H. Tapia, A. H. Brozena, S. Piszkiwicz, A. E. Smith, I. Giovannini, L. Rebecchi, G. J. Pielak, D. Koshland, and B. Goldstein, Tardigrades use intrinsically disordered proteins to survive desiccation, *Mol. Cell* **65**, 975 (2017).
- [144] E. H. Zhou, X. Trepap, C. Y. Park, G. Lenormand, M. N. Oliver, S. M. Mijailovich, C. Hardin, D. A. Weitz, J. P. Butler, and J. J. Fredberg, Universal behavior of the osmotically compressed cell and its analogy to the colloidal glass transition, *Proc. Natl. Acad. Sci. USA* **106**, 10632 (2009).
- [145] B. R. Parry, I. V. Surovtsev, M. T. Cabeen, C. S. O'Hern, E. R. Dufresne, and C. Jacobs-Wagner, The bacterial cytoplasm has glass-like properties and is fluidized by metabolic activity, *Cell* **156**, 183 (2014).
- [146] K. Nishizawa, K. Fujiwara, M. Ikenaga, N. Nakajo, M. Yanagisawa, and D. Mizuno, Universal glass-forming behavior of in vitro and living cytoplasm, *Sci. Rep.* **7**, 15143 (2017).
- [147] T. E. Angelini, E. Hannezo, X. Trepap, M. Marquez, J. J. Fredberg, and D. A. Weitz, Glass-like dynamics of collective cell migration, *Proc. Natl. Acad. Sci. USA* **108**, 4714 (2011), <http://www.pnas.org/content/108/12/4714.full.pdf>.
- [148] S. Garcia, E. Hannezo, J. Elgeti, J.-F. Joanny, P. Silberzan, and N. S. Gov, Physics of active jamming during collective cellular motion in a monolayer, *Proc. Natl. Acad. Sci. USA* **112**, 15314 (2015), <http://www.pnas.org/content/112/50/15314.full.pdf>.
- [149] J.-A. Park, J. H. Kim, D. Bi, J. A. Mitchel, N. T. Qazvini, K. Tantisira, C. Y. Park, M. McGill, S.-H. Kim, B. Gweon, J. Notbohm, R. S. Jr, S. Burger, S. H. Randell, A. T. Kho, D. T. Tambe, C. Hardin, S. A. Shore, E. Israel, D. A. Weitz, D. J. Tschumperlin, E. P. Henske, S. T. Weiss, M. L. Manning, J. P. Butler, J. M. Drazen, and J. J. Fredberg, Unjamming and cell shape in the asthmatic airway epithelium, *Nat. Mater.* **14**, 1040 (2015).
- [150] G. Szamel, E. Flenner, and L. Berthier, Glassy dynamics of athermal self-propelled particles: Computer simulations and a nonequilibrium microscopic theory, *Phys. Rev. E* **91**, 062304 (2015).
- [151] G. Szamel, Theory for the dynamics of dense systems of athermal self-propelled particles, *Phys. Rev. E* **93**, 012603 (2016).
- [152] S. K. Nandi, R. Mandal, P. J. Bhuyan, C. Dasgupta, M. Rao, and N. S. Gov, A random first-order transition theory for an active glass, *Proc. Natl. Acad. Sci. USA* **115**, 7688 (2018).
- [153] C. C. Perry, M. Weatherly, T. Beale, and A. Randriamahefa, Atomic force microscopy study of the antimicrobial activity of aqueous garlic versus ampicillin against *escherichia coli* and *staphylococcus aureus*, *J. Sci. Food Agric.* **89**, 958 (2009).
- [154] G. Micali, J. Grilli, M. Osella, and M. C. Lagomarsino, Concurrent processes set *E. coli* cell division, *Sci. Adv.* **4**, eaau3324 (2018).
- [155] S. Jun, F. Si, R. Pugatch, and M. Scott, Fundamental principles in bacterial physiology - history, recent progress, and the future with focus on cell size control: a review, *Rep. Prog. Phys.* **81**, 056601 (2018).
- [156] W. Mather, O. Mondragón-Palomino, T. Danino, J. Hasty, and L. S. Tsimring, Streaming instability in growing cell populations, *Phys. Rev. Lett.* **104**, 208101 (2010).
- [157] H. Lama, M. Yamamoto, Y. Furuta, T. Shimaya, and K. A. Takeuchi, Emergence of bacterial glass: two-step glass transition in 2d bacterial suspension, *arXiv:2205.10436*.
- [158] V. A. Martinez, R. Besseling, O. A. Croze, J. Tailleur, M. Reufer, J. Schwarz-Linek, L. G. Wilson, M. A. Bees, and W. C. Poon, Differential dynamic microscopy: A high-throughput method for characterizing the motility of microorganisms, *Biophys. J.* **103**, 1637 (2012).
- [159] R. Pastore, G. Pesce, and M. Caggioni, Differential variance analysis: a direct method to quantify and visualize dynamic heterogeneities, *Sci. Rep.* **7**, 43496 (2017).
- [160] Z. Zheng, F. Wang, and Y. Han, Glass transitions in quasi-two-dimensional suspensions of colloidal ellipsoids, *Phys. Rev. Lett.* **107**, 065702 (2011).
- [161] Z. Zheng, R. Ni, F. Wang, M. Dijkstra, Y. Wang, and Y. Han, Structural signatures of dynamic heterogeneities in monolayers of colloidal ellipsoids, *Nat. Commun.* **5**, 3829 (2014).
- [162] C. K. Mishra, A. Rangarajan, and R. Ganapathy, Two-step glass transition induced by attractive interactions in quasi-two-dimensional suspensions of ellipsoidal particles, *Phys. Rev. Lett.* **110**, 188301 (2013).
- [163] J. Roller, A. Laganapan, J.-M. Meijer, M. Fuchs, and A. Zumbusch, Observation of liquid glass in suspensions of ellipsoidal colloids, *Proc. Natl. Acad. Sci. USA* **118**, e2018072118 (2021).
- [164] M. Letz, R. Schilling, and A. Latz, Ideal glass transitions for hard ellipsoids, *Phys. Rev. E* **62**, 5173 (2000).
- [165] R. Mandal, P. J. Bhuyan, P. Chaudhuri, M. Rao, and C. Dasgupta, Glassy swirls of active dumbbells, *Phys. Rev. E* **96**, 042605 (2017).